04/08/04

2005 CROWN VICTORIA POLICE INTERCEPTOR MAJOR PRODUCT CHANGES

OVERVIEW

The 2005 Crown Victoria Police Interceptor provides the best mix of size, durability, handling, performance and value making it the dominant police application vehicle.

EXTERIOR CHANGES

- Colors Added:
 - Light Tundra Clearcoat Metallic (DV)
- Colors Deleted:
 - Spruce Green Clearcoat Metallic
- Deleted Packages/Options:
 - Natural Gas Engine (NGV) Package is deleted for the 2005MY

INTERIOR CHANGES

- Deleted:
 - Standard radio is deleted on all models (radio must be ordered as optional equipment)

NEW PACKAGE/OPTIONS CHANGES

- Automatic Fire Suppression System with manual override (Late Availability)
- New Base Visibility Package
- Police Power Pigtail
- Horn Siren Wiring Prep Package

2005 POLICE INTERCEPTOR ORDER COMBINATIONS

Police Interceptor (3.27 Axle)

Body Code: P71Order Code: 720A

Police Interceptor (3.55 Axle)

Body Code: P71Order Code: 730A

Police Interceptor w/Street Appearance Package (3.27 Axle)

Body Code: P71Order Code: 750A

Police Interceptor w/Street Appearance Package (3.55 Axle)

Body Code: P71Order Code: 770A

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com or Dealer eStore for the most current information.

- 1 - Ford Division

2005 CROWN VICTORIA POLICE INTERCEPTOR MAJOR PRODUCT SUMMARY

The 2005 Crown Victoria Police Interceptor provides the best mix of size, durability, handling, performance and value making it the dominant police application vehicle.

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where additions/exceptions are noted:

Police Interceptor 3.27 Axle	Police Interceptor 3.55 Axle	Police Interceptor Street Appearance 3.27 Axle	Police Interceptor Street Appearance 3.55 Axle
	All Base content, plus:	All previous model content,	All previous model content,
		plus:	plus:
Powertrain/Functional	Powertrain/Functional	Powertrain/Functional	Powertrain/Functional
Axle ratio – 3.27	Axle ratio – 3.55	• Axle ratio – 3.27	Axle ratio – 3.55
Brakes – power Anti-Lock		Exterior	
Braking System (ABS)		Moldings – color keyed	
• Engine – 4.6L OHC EFI		bodyside, front	
V8		Wheel covers – deluxe	
Transmission – 4-speed		Packages	
automatic		Street Appearance	
Exterior		Package (60B)	
Hub caps		3 (11)	
Moldings – color keyed			
bodyside, rear			
• Mirrors – power			
Spare tire/wheel –			
conventional spare			
• Tires – P225/60VRx16			
BSW			
• Wheels – 16" steel			
Interior			
Air conditioning – manual			
Defroster – rear window			
• Floor covering – heavy			
duty rubber			
Headliner – removable			
• Lamps – dome map lamp			
(5" center-mount)			
• Lamps – dual beam map			
lamp • Light bar connector			
• Seats – cloth			
buckets/vinyl rear, manual			
		_	
driver/passenger			
Seats – lumbar support, driver			
driver			
Windows – power driver overses down foature			
express-down feature			
Safety/Security			
• Air bags – 2 nd generation			
driver & passenger			
Battery saver feature Caslent reservery system			
Coolant recovery system			
• Fail safe cooling			
Safety belts – 3-point			
active		Diagon one Standard Equi	

Please see Standard Equipment pages for more details.

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com or Dealer eStore for the most current information.

2005 POLICE INTERCEPTOR STANDARD EQUIPMENT

The following items are standard on every 2005MY POLICE INTERCEPTOR vehicle:

POWERTRAIN/FUNCTIONAL

- Air induction system unique police air induction system
- Ball joints low friction, non-greasable upper ball joints
- Battery maintenance-free 78-AH, 750 CCA
- Body on frame construction
- Brakes
 - Power Anti-Lock Braking System (ABS)
 - Manual parking brake release
 - Single stroke parking brake
 - Brake shift interlock isolation from tail lights
- Drive shaft aluminum
- Drivetrain
 - Rear Wheel Drive (RWD)
- Engine
 - 4.6L OHC SEFI V8 (250 HP)
 - Engine oil cooler
- Exhaust system stainless steel, dual
- Fail safe cooling
- Fuel tank 19 gallon
- Generator high output, 200-amps max output, 132-amps at idle (80 deg F)
- Heat ducts rear floor-mounted
- Hood assist gas cylinder
- · Horn dual note
- Ignition system electronic distributorless; coil on plug ignition system
- Jack scissors
- Multi-speed electrodrive fan
- Steering
 - Power rack & pinion
 - Power steering oil cooler
 - Speed-sensitive variable-assist power steering
- Suspension
 - Watt's linkage rear suspension
 - Short-long arm front suspension
 - Front & rear stabilizer bars
 - Heavy duty nitrogen pressurized monotube shock absorbers
 - Heavy duty frame
 - Heavy duty suspension
- Transmission
 - 4-Speed automatic transmission
 - Oil-to-air transmission oil cooler
- Voltage regulator electronic, integral to generator

EXTERIOR

- Bumpers body color, concealed w/one-piece full wrap cover
- Decklid low liftover design
- Exhaust system stainless steel dual exhaust system
- Glass solar tinted
- · Grille black, center Ford oval design
- · Mirrors black fold-away dual remote control power
- Paint clearcoat
- Tires
 - P225/60VRx16 A/S BSW
 - Spare tire/wheel conventional size

EXTERIOR (Continued)

Wheels – heavy duty steel rims (16x7)

INTERIOR

- Air conditioning manual
- Audio
 - Radio delete (radio must be ordered as optional equipment)
 - Radio speakers door-mounted, located above armrests
- Door locks power
- Floor covering heavy duty rubber
- Footrest driver footrest
- Glove box illuminated lockable
- Instrument panel
 - Analog gauges instrument cluster
 - 140-mph certified calibration speedometer
 - Easy access labeled fuse panel
 - Cigarette lighter
- <u>Lights</u>
 - Light bar connector, 40-amp battery circuit at front right corner of trunk
 - Dome & luggage compartment lamps
 - Dual beam map lamp
- Mirror day/night inside rearview
- Power point rear power access point (power junction box providing power to trunk-mounted equipment)
- Seats
 - Cloth buckets/vinyl rear, manual driver/passenger
 - Cloth buckets/vinyl rear seats w/power lumbar driver seat (lumbar NA on bench seat) & manual recline; rear seat excludes center armrest
 - 2-Way head restraints
- Steering wheel tilt
- Sunvisors cloth covered
- Trim
 - Color keyed front & rear scuff plates
 - Removable headliner w/high intensity dome lamp
 - Luxury full carpet luggage compartment trim
 - Integral front door map pockets
 - Dual ashtray-mounted cupholders
- Trunk deep well
- Windows
 - Power, express-down feature on driver side
 - Rear window defroster
 - Defroster grill w/integral vertical ribs
 - Rear window defroster

SAFETY/SECURITY

- Air bags
 - Dual 2nd generation front supplemental restraint system
 - Driver & front passenger
- Battery saver (turns off lights after 30 minutes)
- Child safety latches on rear doors
- Emergency interior trunk release
- Personal Safety System™ w/dual-stage air bags, 2nd generation – driver & right front passenger (incl. safety belt pretensioners, dual-stage air bags, seat position & weight sensors)
- Side door intrusion beams

The following features are standard on select all-new 2005MY POLICE INTERCEPTOR vehicles:

The fellowing features are standard of select an flow 2000mil 1 o	LIGE HATEROEL TOTALION	0.		
POWERTRAIN/FUNCTIONAL	720A	730A	750A	770A
Axle ratio	3.27	3.55	3.27	3.55
KEY EXTERIOR FEATURES				
<u>Cladding</u>				
Color keyed bodyside rear moldings	•	•		
Color keyed bodyside moldings (installed)			•	•
Wheel covers				
Deluxe			•	•
Hub caps	•	•		

- ★ = New for this model year.
- = Available

2005 CROWN VICTORIA POLICE INTERCEPTOR FUNCTIONAL EQUIPMENT

AXLE AVAILABILITY

Axle Ratio = 3.27 (720A/750A)

Axle Ratio = 3.55 (730A/770A)

WHEEL AVAILABILITY

No Wheel Picture Available

16" Styled Steel Wheel Std. on all models

2005 CROWN VICTORIA POLICE INTERCEPTOR OPTIONAL EQUIPMENT

O1		LUGUII			
DRIVE TYPE		Police Interceptor w/3.27 axle (non-limited slip)	Police Interceptor w/3.55 axle (limited slip)	Police Interceptor Street Appearance w/3.27 axle (non-limited slip)	Police Interceptor Street Appearance w/3.55 axle (limited slip)
Rear Wheel Drive (RWD)	Body Code Order Code	P71 720A	P71 730A	P71 750A	P71 770A
POWERTRAIN/FUNCTIONAL	Order Code	TZUA	730A	730A	770A
Limited Slip Differential (opt. on 3.27) Traction Control	45C 553	0		0	_
KEY EXTERIOR OPTIONS		-		-	
License Plate Bracket – Front	153	0	0	0	0
Locking Gas Cap Mirrors – Heated	54G 61K	0	0	0	0
Moldings Color Keyed Bodyside, Front (installed)	96A	0	0	_	_
Color Keyed Bodyside, Front (uninstalled – shipped in trunk)	96B	0	0	_	_
Wheel Covers - Full KEY INTERIOR OPTIONS	642	0	0	S	S
Audio					
AM/FM Stereo	58F	0	0	0	0
AM/FM Stereo Cassette (incl. in 41A Comfort & Convenience Group)	58H	0	0	0	0
Decklid Release on Door & I/P – Ignition Powered	61H	0	0	0	0
Floor Covering – Carpet (incl. front & rear floor mats)	128	0	0	0	0
Pedals – Power Adjustable Seats	59C	0	0	0	0
Cloth Buckets/Cloth Rear – Manual Driver/Passenger	Н	0	0	0	0
Cloth Split Bench/Cloth Rear – Manual Driver/Passenger	Р	0	0	0	0
Power Driver (incl. in 41A Comfort & Convenience Group)	21A	O/P-41A	O/P-41A	O/P-41A	O/P-41A
GROUPS & PACKAGES (See Packaged Opt	ions/Emissio	ns Page for Pkg.	Content)		
Automatic Fire Suppression System w/Manual Override (Late Availability)	60S	0	0	0	0
Base Police Prep Package (NA w/66F front power distribution box, deletes rear power	65A	0	0	0	0
access point) Comfort & Convenience Group	41A	0	0	0	0
Complete Police Prep Package (NA w/66F Front Power Distribution Box, deletes rear	68P	0	0	О	0
power access point) Lamp Pre-Wire Group	476	0	0	0	0
Radio Suppression Package	53M	0	0	0	0
Street Appearance Package	COIVI			S	S
Visibility Base Package (NA w/66F Front Power Distribution Box, deletes rear power	65N	0	0	0	0
access point) Visibility Package (req. 68P Complete Police Prep Package, deletes rear power	65W	0	0	0	0
	65W	0	0	0	0

2005 CROWN VICTORIA POLICE INTERCEPTOR OPTIONAL EQUIPMENT (CONT'D.)

	7L L & C	/ 	(00111	- .,	
DRIVE TYPE		Police Interceptor w/3.27 axle (non-limited slip)	Police Interceptor w/3.55 axle (limited slip)	Police Interceptor Street Appearance w/3.27 axle (non-limited slip)	Police Interceptor Street Appearance w/3.55 axle (limited slip)
Rear Wheel Drive (RWD)	Body Code	P71	P71	P71	P71
,	Order	720A	730A	750A	770A
	Code	720A	730A	750A	770A
OTHER OPTIONS					
Air Bags – Side (driver & passenger)	59M	0	0	0	0
Engine Block Heater	41H	0	0	0	0
Hoses – Silicone w/Aircraft Clamps	177	0	0	0	0
Keyed Alike – Key Code 1284X	432	0	0	0	0
Keyed Alike – Key Code 1294X	435	0	0	0	0
Keyed Alike – Key Code 0135X	436	0	0	0	0
Keyed Alike – Key Code 1435X	437	0	0	0	0
Keyed Alike – Key Code 0576X	438 439	0	0	0	0
Keyed Alike – Key Code 0151X Laminated Security Side Glass	439 68G	0	0	0	0
Lamps	00G	U	U	U	U
Courtesy Disable	478	0	0	0	0
Dome/Map (5" center-mount) Delete	54M	0	0	0	0
Driver Side Spot Assembly	51A	0	0	0	0
Dual Spot Assembly	51Y	ő	Ö	Ö	ő
Lateral Bow Reinforcement	185	Ö	Ö	Ö	Ö
Locks/Handles Inoperable – Rear Door	157	Ö	Ö	Ö	ő
Paint	101				Ü
Two-tone #1	952	0	0	_	_
Two-tone #2	953	Ö	Ö	_	_
Two-tone #3	955	0	0	<u>—</u>	_
Police Power Pigtail (NA w/65U, 66F, 65W, 65N, 68P, 65A), connector terminal & wire pigtail connection of aftermarket equipment to the vehicle wiring harness	179	0	0	0	0
Power Distribution Box – Front (NA w/65A Base Police Prep Pkg., 68P Complete Police Prep Pkg. or 65W Visibility Pkg.)	66F	0	0	0	0
Radio – 2-Way Pre-Wire	946	0	0	0	0
Roof Wiring					
Hole in Center of Roof (incl. lateral bow	187	0	0	0	0
reinforcement)	'				
No Hole in Roof	189	0	0	0	0
Speed Control (incl. in 41A Comfort & Convenience Group)	525	O/P-41A	O/P-41A	O/P-41A	O/P-41A
Trunk Pack™ (w/Kevlar® front liner)	14T	0	0	0	0
Windows – Rear Power Delete (rear switches only, operable from front driver side switches)	948	0	0	0	0
Wiring	450				
Grille Lamp, Siren & Speaker	172	0	0	0	0
Horn Siren Wiring Prep Package	175	0	0	0	0
Spot Lamp Prep, Driver Side	51B	0	0	——————————————————————————————————————	_
Spot Lamp Prep, Dual Side	51Z	0	0		_

2005 CROWN VICTORIA POLICE INTERCEPTOR COLOR & TRIM AVAILABILITY

			Interior Color	
POLICE INTERCEPTOR		Dark Charcoal	Medium Parchment	Light Flint
Cloth Front Buckets/Vinyl Rear		IW	IH	IC
Cloth Front Buckets/Cloth Rear		HW	HH	HC
Cloth Split Bench/Cloth Rear		PW	PH	PC
EXTERIOR COLOR	Code		Availability	
POLICE				
Arizona Beige Clearcoat Metallic	AQ	•	•	
Medium Brown Metallic	BU		•	
Gold Ash Clearcoat Metallic	C2		•	
Dark Blue Pearl Clearcoat Metallic	DX	•	•	•
★Light Tundra Clearcoat Metallic	DV		•	•
Dark Toreador Red Clearcoat Metallic	JL	•	•	•
Silver Birch Clearcoat Metallic		•	•	•
Dark Blue		•		•
Royal Blue		•		•
Light Blue Metallic		•		•
Light Ice Blue Clearcoat Metallic	LS	•		•
Ultra Blue Clearcoat Metallic	MM	•		•
Light Grey Clearcoat	TM	•		•
Silver Grey Metallic	TN	•		•
Midnight Grey Clearcoat Metallic	TV	•		•
Black Clearcoat	UA	•	•	•
Vibrant White Clearcoat		•	•	•
Medium Titanium Clearcoat Metallic YG		•		•
STREET APPEARANCE PACKAGE (60B)				
Arizona Beige Clearcoat Metallic		•	•	
Gold Ash Clearcoat Metallic		•	•	
Dark Blue Pearl Clearcoat Metallic	C2 DX	•	•	•
★Light Tundra Clearcoat Metallic	DV		•	•
Dark Toreador Red Clearcoat Metallic	JL	•	•	•

WARNING:

Black Clearcoat

Vibrant White Clearcoat

Silver Birch Clearcoat Metallic Light Ice Blue Clearcoat Metallic

Midnight Grey Clearcoat Metallic

Aftermarket police equipment (such as communications gear) must not be mounted in the air bag deployment zone. Vehicles equipped with bench seats may not have sufficient room to mount such equipment. Bucket seats may be required. See Police/Fleet owner guide supplement for available Police equipment mounting zones. Advise all customers of these facts.

- 7 -

JP

LS

TV

UA

WT

NOTE: Exterior colors are available in three different two-tone configurations. Accent color can be any of the available exterior colors.

^{★ =} New for this model year.

^{• =} Available

2005 CROWN VICTORIA POLICE INTERCEPTOR PACKAGED OPTIONS/EMISSIONS

AUTOMATIC FIRE SUPPRESSION SYSTEM (60S) (Late Availability)

Availability:

· Optional for all arrays

Includes:

- Automatic Fire Suppression System with manual override includes:
 - Manual override switch for Fire Suppression System mounted on headliner
 - Fire Suppression System status indicator light installed in the instrument panel

NOTE: See <u>www.CVPl.com</u> website for complete Fire Suppression System information

BASE POLICE PREP PACKAGE (65A) Availability:

Optional for all arrays

Includes:

- (2) front strobe bulbs and (2) rear strobe bulbs, installed in marker lights and tail light lenses
- Alternating headlight flasher
- · Wiring harness including the following items:
 - (6) strobe cables shielded and grounded pre-run to marker lights, tail light lenses and front grille
 - Distribution centers located in the glove box and trunk 50-amp each fused in engine compartment. Each distribution center has (5) ground wires and can hold (6) fuses (3 battery and 3 ignition powered)
 - 50-Amp light bar circuit and ground at console base (utilized by 65W Visibility Package)
 - Additional 50-amp lightbar circuit available in trunk only (utilized by 65W Visibility Package)
 - 50-Amp battery circuit and ground available at kick panel or trunk for radio communications
 - Siren/speaker wiring pre-run to front of vehicle available at console or trunk
 - Horn/siren relay circuit available at console or trunk
 - (4) extra circuits pre-run from the engine compartment to the console (one circuit is heavy gauge for additional battery or ground connection)
 - (4) extra circuits pre-run from the console to the trunk
 - Alternating headlight flasher additional control wire at console for connection to customer supplied positive control switch box
- Utilizes lightbar connector and deletes rear power access point

Not available with:

 Front Power Distribution Box (66F) and 179 Police Power Pigtail

COMFORT AND CONVENIENCE GROUP (41A) Availability:

· Optional for all arrays

Includes:

- Power driver seat
- Speed control
- AM/FM stereo with cassette

COMPLETE POLICE PREP PACKAGE (68P) Availability:

Optional for all arrays

Includes everything in the Base Police Prep Package (65A) plus the following:

- Console mounting platform
- Center wiring conduit
- Hidden manual door lock plunger located in door frame
- Trunk air circulation fan
- Permanent rubber tie down strap
- Dual trunk storage boxes
- Rear trunk communications service tray, slides on heavy duty tracks. Shipped with secured spare tire
- · Deletes rear power access point

Not available with:

- Cloth Split Bench Seat (P)
- Front Power Distribution Box (66F) and 179 Police Power Pigtail

LAMINATED SECURITY SIDE GLASS (68G)

Availability:

Optional for all arrays

Includes:

 Door windows formed from a layer of polyvinyl butyral laminated between two sheets of automotive safety glass

LAMP PRE-WIRE GROUP (476)

Availability:

Optional for all arrays

Includes:

- · Package tray warning lamps pre-wire
- · Inner decklid lamp pre-wire

RADIO SUPPRESSION PACKAGE (53M)

Availability:

Optional for all arrays

Provides radio suppression coverage for the following areas:

- Hood to body (LH/RH)
- Engine to dash panel
- Engine to frame
- Tail pipe to frame (LH/RH)
- Decklid to body (LH/RH)
- Body to frame rear (LH/RH)

SPOT LAMP WIRING PREP (51B/51Z)

Availability:

 Optional for Police Interceptor with 3.27/3.55 axles (720A/730A)

Includes:

- Contains wiring, bracketry and body preparation for installation of spot lamp kit purchased from manufacturer
- Access hole in A-pillar
- Mounting bracket in place
- A-pillar moldings trimmed
- Wiring and fuse located in standard fuse panel
- Door edge reworked and trimmed

Not available with:

Spot Lamp (51A/51Y)

2005 CROWN VICTORIA POLICE INTERCEPTOR PACKAGED OPTIONS/EMISSIONS

STREET APPEARANCE PACKAGE (60B)

Availability:

 Standard for Police Interceptor Street Appearance with 3.27/3.55 axles (750A/770A)

Includes:

- Color keyed retail bodyside moldings
- Rear appliqué with color keyed panels
- "Crown Victoria" badge
- Chrome grille
- Chrome fascia inserts
- Chrome door handle bezel
- Chrome tail lamp appliqué
- Wheel covers, full

TRUNK PACK™ (14T)

Availability:

· Optional for all arrays

Includes:

- Drop-in box with a tough plastic shell made of High Density Polyethylene (HDPE)
- It both aligns Police equipment laterally in the trunk and utilizes a Kevlar® lining on the fore side of the box to reduce the risk of Police equipment penetrating into the back seat or fuel tank in high-speed rear impacts

VISIBILITY BASE PACKAGE (65N)

Availability:

· Optional for all arrays

Includes everything in the Base Police Prep Package (65A), plus the following:

- (1) console-mounting platform
- (1) 6-head strobe power supply with front shut down
- (2) LED (high intensity) lights at the package tray, red and blue
- (1) switch control panel
- (1) unique non-slide out trunk communications service tray
- Headlamp flasher module to interconnect directly with crown harness
- 8-Relay roof light control center
- (4) shielded coaxial strobe cables from trunk to corners
- (5) power and (2) ground wires
- (1) main body wiring harness
- (2) power distribution boxes (front and rear)
- (2) front and (2) rear strobe bulbs
- (2) shielded coaxial strobe cables from trunk to grille
- (13) 16-gauge blunt cut wiring control circuits in main harness at console

Not available with:

- Front Power Distribution Box (66F)
- Complete Police Prep Package (68P)
- Police Power Pigtail (179)
- Visibility Package (65W)
- Split bench seats (K)

Deletes:

· Rear power access points

VISIBILITY PACKAGE (65W)

Availability:

Optional for all arrays

Includes:

- Strobe power supply, 6-head with front shut off
- (2) high intensity flashing rear deck LED lights with matching interior color housings
- Visibility switch panel including (4) position slide switch and (4) rocker switches
- Lighting relay center for use with visibility switch panel controls up to (8) light bar functions

Requires:

Complete Police Prep Package (68P)

Deletes:

· Rear power access points

MISCELLANEOUS

Pre-delivery only ¹	361
COV Required	
Local/State Ordinance Deviation	

CALIFORNIA EMISSIONS STATES/CROSS-BORDER STATES

CALIFORNIA EMISSIONS SYSTEM	422
Required on units for California, Maine,	
Massachusetts, New York, and Vermont	
registration. Optional for Cross-Border States.***	

CALIFORNIA EMISSIONS SYSTEM NOT REQUIRED 423

Control code for units either shipped to California Emissions States dealers or ordered by California Emissions States dealers for registration in non-California States locations.

Only available on units sold to authorized governmental units and privately-owned ambulance companies. Must also use Code 423 when ordering.

Required on all units ordered by dealers for California Emissions States registrations when the vehicles are being delivered to non-California Emissions, non-Cross-Border States locations. Also requires 422 California Emissions System.

***CROSS-BORDER STATES

Cross-Border States are Arizona, Connecticut, Nevada, New Hampshire, New Jersey, Oregon, Pennsylvania, and Rhode Island.

ENGINE BLOCK HEATER

Standard and only available in AK, MN, ND, SD, MT, WI and WY states. Other states available via FCSD

NOTE: Fleet Only – Engine block heater optional in all states with valid FIN code.

For eligible California dealers only. Dealers must have a pre-existing contract with a pre-delivery service company in order to take advantage of this option.

2005 CROWN VICTORIA POLICE INTERCEPTOR POWERTRAIN/DIMENSIONS

FUEL ECONOMY

		50 STATES			
		F.E. LABEL		ESTIMATED	MEMO:
_		ADJU	STED	ANNUAL	UNADJUSTED
ENGINE DISPL.	TRANSMISSION	CITY	HIGHWAY	FUEL COST	COMBINED
RWD					
4.6L OHC SEFI V8	4-Speed Automatic O/D	TBD	TBD	TBD	TBD

ENGINE HORSEPOWER AND TORQUE RATINGS

		NOMINAL	50 ST	ATES
_		COMPRESSION	HORSEPOWER	TORQUE
ENGINE DISPL.	TRANSMISSION	RATIO	H.P. @ RPM	FT. LB. @ RPM
ALL				
4.6L OHC SEFI V8	4-Speed Automatic O/D	9.6:1	250 @ 4900	287 @ 4100

DIMENSIONS*

	Measurements
INTERIOR DIMENSIONS	
Head Room (inches)	
1 st Row	39.3
2 nd Row	37.9
Shoulder Room (inches)	
1 st Row	60.8
2 nd Row	60.3
Leg Room Maximum Extension (inches)	
1 st Row	42.5
2 nd Row (min.)	39.6
Total Passenger Volume (cu-ft)	114.2
Luggage Capacity (cu-ft)	20.6
EXTERIOR DIMENSIONS (inches)	
Wheelbase	114.7
Overall Length	212
Overall Width	78.2
Overall Height	56.8
Tread (Front)	63.4
Tread (Rear)	65.3

^{*}All dimensions are preliminary figures